



T +82.32.817.0271

F +82.32.812.0105

E info@meltek.co.kr

A 28–25, Angogae–ro 621beon–gil, Namdong–gu, Incheon, South Korea



STATUS

Name of Company MELTEK CO., LTD.

CEO Eung Moon, Shim

Address 28–25, Angogae–ro 621beon–gil, Namdong–gu, Incheon

Year of Establishment January 1st, 1997

Registration Number Business Identification Number [139–81–30500]

Annual Sales ₩35,429,000,000 in 2022
Workforce About 100 employees

Factory Area 11,390m²



Representative History

Selected as a technology-intensive company, a venture company, and an innovative-based small and medium-sized enterprise (INNO-BIZ)

Selected as an excellent job creation company by Incheon(2018)

Albert Nelson Marquis Lifetime Achievement Award

Donation of 100 million won for the establishment of Incheon Wheelchair Curling Team

Locations of a Headquarter and Factories

Headquarter & 3rd Factory

28–25, Angogae–ro 621beon–gil, Namdong–gu, Incheon

1st Factory

52, Angogae-ro 653beon-gil, Namdong-gu, Incheon

2nd Factory

64, Hogupo-ro 74beon-gil, Namdong-gu, Incheon

Corporate history

0	1991.08	Establishment of Eugene Laminate, Bucheon, Gyeonggi-do		
0	1994.08	Relocation within Incheon Namdong Industrial Complex		
O	1997.01	Changed company name as MELTEK CO., LTD. and converted to a corporation		
0	1999.02	Quality certification of KSA/ISO9002		
0	2000.06	Company certification for development of new technology industry		
0	2001.06	Selected as a promising small and medium-sized enterprise		
0	2003.03	Excellent CEO Award for Corporate Acquisition by the Mayor of Incheon		
		Namdong District		
0	2008.02	Quality certification of KSA/ISO9001		
0	2010.02	Selected as an INNO- BIZ company		
0	2012.02	Selected as a vision enterprise		
0	2015.02	Certification of venture enterprise		
0	2015.07	Establishment of MELTEK CO., LTD. 2nd Factory		
0	2016.01	Selected as an IBK small hidden enterprise		
0	2017.04	Establishment of MELTEK CO., LTD. 3rd Factory		
0	2017.10	Certification of KS F 3126		
0	2018.01	Certification of KS F 3803		
0	2018.07	Selected as an excellent job creation company by Incheon		
0	2019.10	Acquisition of interior architecture license		
Ö	2021.12	Relocation of MELTEK CO., LTD. 3rd Factory		


Headquarter & 3rd Factory



















1st Factory & 2nd Factory

Established in 1991 as an enterprise producing high pressure laminates and resin paper for coating. The company became equipped with state of the art facilities to meet the various needs of customers, and became recognized for technical skills and quality products. MELTEK CO., LTD. continues to provide with better quality and service through a one–stop total solution processing system ranging from resin impregnation of decorative paper to finished flooring.





High temperature high pressure press machine











R&D Center

With its outstanding know-hows, the R&D center plays a key role in the company becoming the leader of eco-friendly laminate and flooring products.












HPL (High Pressure Laminate)



OVERLAY

Increases the durability of the product

DECO PAPER

determines the product design and is printed with eco-friendly materials

KRAFT PAPER

determines the dimensional stability , thickness and other physical properties of the product and reinforces its durability









Usage of HPL















SN02 ST VR

Flooring



PRAWOOD KANG The top grade HPL + Eco-friendly waterproof plywood (HPL-Flooring) PRAWOOD DUAL -Synchronized HPL with real wood texture + Eco-friendly **DONGJO** waterproof plywood **PRAWOOD** Stone texture HPL + Eco-friendly waterproof plywood in **CLASSTONE** square planks Top grade Natural Veneer + Eco-friendly waterproof plywood with 9times or more UV coatings **Engineered Wood Flooring** Sound-absorbing flooring that comes with tow types. **NOISEN** 1. HPL based flooring 2. Engineered Wood Flooring














Certificates & Patents


Business license



Factory registration certificate for 1st factory



Factory registration certificate for 2nd plant



Factory registration certificate for 3rd factory



Certificate of registration for the wood production



Construction Business Registration Certificate



Certificate of national tax payment



Certificate of Local Tax Payment




Innovative SMEs (INNO-BIZ) Confirmation Letter



Confirmation Letter for Venture Business



IBK Technology Power Company Selection Letter



Patent_NOISEN



Certificates & Patents

Patent_Kang Super

Patent_Anti-virus highpressure melamine sheet and its manufacturing method

Patent _ Thermosetting resin plate and its manufacturing method

Patent_ Melamine chipboard with pattern pieces and its manufacturing method









Utility Model Registration Certificate _A melamine laminate with fire resistance



Utility Model Registration Certificate_Interior Surfaces

실용신안등록증


교안의 명성(ITUE OF THE GROUD) 선패리어 표면제

이 살충선안전한 '살충선안면, 제44조에 따가 '살충선안면, 제25조에? 이 살충선안전의 설명이 등에 따라서 그 원인을 행사한 수 없습니다.

Healthy Building Certification_ MELTÉK_HPL

KS F 3126 Product Certificate





KS M 3803 Product Certificate

제품인증서

한국건설생활환경시험연구원장





KCL test confirmation letter PRAWOOD



KS Q ISO9001 Certificate



Certificates & Patents

Environmental Certificate_PRAWOOD



Environmental Certificate_ HW001



KCL Wood Product Specification and Quality Inspection Result Notification



KTR test confirmation_ PRAWOOD 1-1



KTR test confirmation_ PRAWOOD 1-2



Wooden product specification, quality inspection result notice_HW00



Wooden product specification, quality inspection result notice_LW001





NOISEN



Technical & Sensational

This sound-absorbing floor is designed with materials to absorb the sound waves transmitted when hard objects come in contact its surface.



Harmony

It reduces distractions in work and study environments, increasing productivity.



Comfort & Serenity

It provides a comfortable and desirable environment by minimizing sound.


Noisen certified test report



Certificate of a Patent

Patent number 10-2496059






Floor impact noise experiment 80dB 70dB 60dB 50dB 40dB 125Hz 250Hz 500Hz 1000Hz 2000Hz Normal NOISEN Slab wood floor

* Reduce everyday noises

Significantly reduce the sound of everyday noises such as vacuum cleaners, blenders, heavy footstep sounds, and chair movements compared to ordinary wooden floors creating a more comfortable space


Heat insulation experiment

* Excellence in heat retaining




"是这个是一个人的是一个人的是一个人的是一个人的。" 第二章

NOISEN's warmth retaining efficiency is tested to be greater than a normal flooring especially in underfloor heating system



* Shock absorbing performance

The flooring reduces the gait impact and it may reduce the probability of fractures when fall (The shock absorbing performance test revealed that it absorbs 20% of shock when the 20kg of drop weight impact was applied from a height of 55cm.)





NOISEN _ Sound-absorbing Flooring

Our functional premium flooring, NOISEN, is made by applying eco-friendly cushioning materials with excellent durability such as heat and water resistance, thereby creating a comfortable living space and environment as well as providing a comfortable cushiony feeling.

In addition to functional elements, we have expanded the range of options by launching 12 luxurious natural wood flooring designs and dual-tone HPL flooring with various design patterns.





sensation







12 patterns







flooring





NOISEN hard wood




ISO

NOISEN Dual-Dongjo



	NOISEN Engineered Wood Flooring	NOISEN Dual-Dongjo
Standard	165mm(W) x 1,205mm(H) x 12mm(T)	115mm(W) x 800mm(H) x 12mm(T)
Product	UV+ Natural Veneer+plywood	HPL+plywood
Surface texture	Natural Veneer	Embossed In Register (EIR)
Pattern	5 options	7 options
Character– istics	 Reduction of everyday and impact noises Wide-width flooring High-density Nano coating Premium Natural Veneer Eco-friendly plywood 	 Reduction of everyday and impact noises Wide-width flooring Perfectly embossed with wood- grain Real texture

NOISEN Engineered Wood Flooring





High-strength protective surface layer with 9 or more UV coats

Natural veneer with V cutting and brush finish

High-density eco-friendly waterproof plywood

Eco-friendly cushioning materials Low-density eco-friendly waterproof plywood





NOISEN Dual- Dongjo





High-strength protective surface layer with natural wood texture


Wood patterned paper that perfectly synchronizes the natural wood texture

Layer that determines a property and durability of the product

High-density eco-friendly waterproof plywood

Eco-friendly cushioning material

Low-density eco-friendly waterproof plywood





PRAWOOD



Artisanship & Safety

Prawood is a brand nurtured by a group of experts with a spirit of craftsmanship. We provide our customers with safe and reliable products that we take pride in.



Creativity & Design

We present a premium collection of floors that are suitable for continuously changing lifestyles with creative designs, textures, and long-standing know-how in making floors.



Eco-friendly Life

We only use eco-friendly materials that are nature-friendly for the value of a healthy life for everyone.



Made In KOREA

All products of PRAWOOD are manufactured in-house



PRAWOOD KANG _ The ultimate simplicity

All HPL used on the surface of KANG flooring is a 100% self–produced product that boasts the highest level of technology and quality, and it is easy to maintain with the use of water–proof plywood. In addition, it is a high–strength floor that has excellent impact resistance and durability, making it resistant to scratches and contamination, and can be used without worry. With 21 design patterns that reflect the latest trend, it is a practical floor that can create a sensory space with a variety of colors and wood textures.







HPL plywood



High-strength surface layer




Easy maintenance



Resistant to wear, pollution, moisture, and humidity







HB certification



ISO



KANG Standard 95mm(W) x 800mm(L) x 7.5mm(T) HPL+plywood Product Surface Normal texture 21 options Pattern • High-strength surface layer • Resistant to wear, pollution, moisture, and Characteristics humidity Easy maintenance

KANG Flooring





Paper that determines the design of the product

Layer that determines the properties and durability of the product

Eco-friendly waterproof plywood





Actual & Vintage _ Natural and sophisticated wood texture as it is "Actual"

With a matt surface that enhances the texture of wood, Actual & Vintage is a premium flooring that not only offers visual effects but also provides a natural three-dimensional feel that can be felt both visually and tactically. You can feel the natural and luxurious aspects of this floor. In addition to its aesthetic effect, it boasts superior slip resistance thanks to PRAWOOD's technological expertise, making it an ideal floor for seniors, children, and pets who are at risk of falling.







plywood





texture



Anti-slip



dimensional texture







Environmental certification HB certification



Actual & Vintage Standard 115mm(W) x 800mm(L) x 7.5mm(T) Product HPL+plywood Surface matt wood texture texture 24 options / Actual_18 options, Pattern Vintage_6 options matt texture Character- slip resistance istics • three-dimensional texture

Actual



Vintage





High-strength surface protective layer

Paper that determines the design of the product

Layer that determines the properties and durability of the product.

Eco-friendly waterproof plywood





Dual-Dongjo _ Texture of natural wood, sturdiness of KANG flooring, a floor that looks even more real than the real thing, "Dual-Dongjo"

A premium floor made using a third generation dual synchronized embossing method to achieve the depth and gloss of natural wood grain. You may experience both the durability of the high-strength engineered wood flooring and the elegance of natural wood flooring at the same time with the effect of the Real Texture that perfectly matches the pattern of the natural wood.











third generation embossing



three-dimensional texture







HB certification





Standard	115mm(W) x 800mm(L) x 7.5mm(T) 143mm(W) x 1,205mm(L) x 7.5mm(T)
Product	HPL+plywood
Surface texture	Embossed In Register (EIR)
Pattern	18 options / width 115_ 18 options, width 143_ 6 options
Character- istics	wide-width flooringthird generation embossing methodReality both in vision and texture

Dual-Dongjo

Dual-Dongjo










CLASSTONE _ A stone-like flooring with an attractive and warm texture

Featuring a wide plank structure, our Classtone flooring ensures stable and sturdy installation while creating a visually expansive space. The premium marble and stone patterns are enhanced with various finishes such as matt, glossy, and textured, bringing warmth and sophistication to the interiors. The design flooring is perfect for harmonizing with our Wood Grain collection or as a standalone statement piece. Additionally, its ease of installation provides a hassle–free experience.











excellent walking sensation



threedimensiona texture






	CLASSTONE
Standard	395mm(W) x 800mm(L) x 10mm(T)
Product	HPL+plywood
Surface texture	Normal/stone/glossy
Pattern	6 options
Character– istics	 improved stability of wide-width flooring diverse stone patterns, excellent walking sensation natural and various texture

CLASSTONE









Engineered Wood Flooring _ Natural wood that breathes

It is a premium engineered wood flooring with top grade natural veneer and eco-friendly plywood. Since it is enhanced by brushing technique applied high-density Nano coating and various color options are available, you can make your space luxurious with wide standards followed by new consumption trend.



hardwood







Ecofriendly plywood







width








Natural Veneer



	Engineered Wood Flooring
Standard	125 / 165 / 190mm(W) x 1,205mm(L) x 10mm(T)
Product	UV+ Natural Veneer+plywood
Surface texture	Top grade Natural Veneer
Pattern	6 options
Character- istics	Wide-width flooringhigh-density Nano coatingEco-friendly plywood

Engineered Wood Flooring







High-strength protective layer with 9 or more UV coats

Natural veneer with V cutting and brush finish

Eco-friendly waterproof plywood

Headquarter

28–25, Angogae–ro 621beon–gil, Namdong–gu, Incheon T +82.32.817.0271

F +82.32.812.0105

1st Factory

52, Angogae-ro 653beon-gil, Namdong-gu, Incheon T +82.32.815.0271 F +82.32.815.0275

2nd Factory

64, Hogupo-ro 74beon-gil, Namdong-gu, Incheon T +82.32.811.0272 F +82.32.813.0271

3rd Factory

28–25, Angogae–ro 621beon–gil, Namdong–gu, Incheon T +82.32.442.0037 F +82.32.442.0038

Since all images and colors on the brochure are staged, it can be different from actual products.





WWW.NOISEN.CO.KR WWW.PRAWOOD.CO.KR WWW.MELTEK.CO.KR